





经纬牌



无锡市振华纺织橡胶器材厂
WUXI ZHENHUA TEXTILE RUBBER EQUIPMENT FACTORY





H211系列胶圈

H211 Series Rubber Apron


国内首创，赶超国际先进水平

First innovation in China, surpassing international advanced level

——高强度，高弹性H211系列新型胶圈

H211 Series new rubber aprons in good strength and elasticity

型号 Type	色别 Color	适纺品种 Suitable Variey	主要特点 Main Fearures
ZHA-H211	外层：墨绿色 浅灰色 黑色 内层：深灰色 Outer layer: blacksih green light gray black Inner layer: dark gray	纯棉、涤棉、棉型 化纤、毛纺 Purecotton polyester / cotton cotton type chemical fiber wool spinning	具有优异的耐臭氧、耐磨性、压缩变形小、回弹性优异、手感柔软、强度高、表面滑爽、耐油、耐曲饶、使用寿命长。 Good anti-ozoneability,wear-resistant, lower compression,excllent elastic resilience,soft feeling,high strength and smooth surface,oil-resisting,flexing resistant,long lifetime.
ZHA-H211D62	外层：灰色 内层：深灰色 Outer layer: gray Inner layer: dark gray	纯棉、中高支纱 Pure cotton mid-high count yarns	柔软光滑、弹性好、握持力好、耐油、耐磨、使用寿命长。 Soft and smooth,good holding capacity, elastic, anti-oil,wear-resisting,long lifetime
ZHA-H211D68	外层：浅蓝色 内层：深灰色 外层：灰色 内层：绿色 外层：灰色 内层：粉红色 Outer layer: light blue Inner layer: dark gray Outer layer: gray Inner layer: green Outer layer: gray Inner layer: pink	棉、涤棉混纺、化纤 Cotton,polyester fibre blending,chemical fibre	具有更为优异的耐磨性、强度高、抗静电、抗绕花、适纺性强等特性。 High wear-resistant,high strength, antistatic, flexing resistant,wide spinning range





免处理胶辊

Non-treatment Rubber Cot

自主创新 高科技新产品

Independent innovation and hi-tech new product

——软弹性免处理系列胶辊

Soft elastic and non-treatment series rubber cots

型号 Type	外观色别 Appearance color	硬度 Hardness	适纺品种 Suitable Spinning Varieties	主要特点 Main Features
ZHMC0563	湖绿 Agate green	63 ± 2	纯棉、棉涤、色纱、氨纶纱、纺中高支纱尤佳 Pure cotton, cotton/ polyester, colored spun yarn, polyurethane elastic fibre yarn, better for spinning middle or high count yarns	具有优异的抗绕性、回弹性好、变形小、硬度稳定、耐磨握持性能优良、成纱质量好而稳定、使用寿命长。 Excellent anti-wind performance, good elastid resilienc,less deformation,stable hardness, wear-resistant,Excellent holding performance,good and stable quality yarn,long lifetime.
ZHMC0565	紫色 Purple	65 ± 2		
ZHMC0568	桔黄 Saffron	68 ± 2	纯棉、棉涤、人造棉、色纱、毛纺、精梳分离 Pure cotton, cotton/ polyester, stapled rayon, colored spun yarn, wool spinning, combing dividing	
ZHMC0571	粉红 Pink	71 ± 2	纯棉、纯毛、毛涤、精梳分离 Pure cotton, pure wool, wool/ polyester, combing dividing	
ZHMC0575	蓝色 Blue	73 ± 2		



普通牵伸胶圈 (Common Rubber Apron)

型号 Type	色别 color	适纺品种和机型 Suitable Spinning Varieties	主要特点 Main Features
ZHA-9110-3	外层: 淡蓝色 内层: 紫红 Outer layer: light blue Inner layer: purplish red	棉、棉型化纤、中高支纱、色纱、人造棉等 Cotton, cotton-like fibre, high or middle count yarns, colored spun yarn, stapled rayon and etc.	具有良好的耐臭氧、耐磨、耐油、耐屈挠、抗静电等特性 Good ozone-resistance, wear-resistance, anti-oil, flexing resistance, antistatic and other features 表面磨砺光洁、使用寿命长 Smoothly ground surface, long service life
ZHA-9110	外层: 黑色 内层: 紫红 Outer layer: black Inner layer: purplish red		
ZHA-9410	外层: 灰色 内层: 深灰色 Outer layer: gray Inner layer: dark gray		
ZHA-9810	灰棕色 gray brown		
ZHA剥棉胶圈 ZHA stripping cotton rubber apron ZHA导棉胶圈 ZHA leading yarn rubber apron	外层: 淡果绿色 内层: 黄色 Outer layer: light apple green Inner layer: yellow	适用于各种型号的梳棉机 Suitable for all kinds of carding machines	





普通牵伸胶辊 (Common Rubber Cot)

型号 Type	色别 color	硬度 Hardness	适纺品种和机型 Suitable Spinning Varieties	主要特点 Main Features
ZHC-6503	草绿 meadow green	65 ± 3	纯棉、涤棉、化纤、等常规品种 Pure cotton, polyester fibre, chemical fibre and other general types	弹性好 耐磨优良 抗静电 硬度变化小 握持力大 成纱质量好 Good elasticity Wear-resistance Antistatic Small change of hardness Large holding capacity Good spinning quality
ZHC-6803	淡灰 light gray	68 ± 3		
ZHC-7103A ZHC-7103	草灰/淡绿 straw gray/light green	71 ± 3		
ZHC-7503	灰绿 gray green	75 ± 3		
ZHC-8003	绿色 green	80 ± 3		
ZHC-8403	棕色 brown	84 ± 3		
ZHC-8703	蓝色 blue	87 ± 3		



化纤胶圈、胶辊/毛纺胶圈、胶辊

Rubber Apron / Rubber Cot for Chemical Fibre / Rubber Apron / Rubbercot for Wool Spinning

导丝胶辊 Leading-thread Rubber Cot

	型号 Type	色别 color	硬度 Hardness	主要特点 Main Features
普通型	ZHC-8403	棕色、黑色 brown / black	84 ± 3	纺丝握持力好，具有高耐磨、抗化学侵蚀和抗静电的优良性能。 Fine yarn with good holding capacity, excellent wear-resistance, chemical-attack resistance and antistatic characteristics
	ZHC-7503	草灰色 straw gray	75 ± 3	
高弹型	ZHMC-6803	桔黄色 saffron	68 ± 2	
	ZHMC-7203	咖啡色 coffee	72 ± 2	
	ZHMC-7503	蓝色 blue	75 ± 2	

化纤胶圈 Rubber Apron for Chemical Fibre

型号 Type	色别 color	适纺品种和机型 Suitable Spinning Varieties	主要特点 Main Features
ZHA-H900	红色 red	化纤加弹丝、高速纺 适纺机型：FK6系列、33F、33H、RPP、JVF-701、M335-II、VC473等 Chemical fibre containing elastic yarn, high-speed spinning Suitable machine type: FK6 Series, 33F, 33H, RPP, JVF-701, M335-II, VC473 and etc.	具有高耐磨、高强度、弹性好、耐油、耐溶剂、使用寿命长特性、高速运转中不抖动、不伸长、不跑偏、表面摩擦系数大、假捻效果强 High wear-resistance and strength, good elasticity, anti-oil and anti-solvent, long service life, vibration-free, stretch-free and offset-free during high-speed operation, big surface friction coefficient, good false twist effect
ZHA-H211	外层:绿色 outer layer:green 内层:灰色 Inner layer:gray		
ZHA-H1000	外层:紫色 outer layer:purple 内层:灰色 Inner layer:gray		
ZHA-0833H	外层:绛色 outer layer:crimson 内层:灰色 Inner layer:gray	特别适用于日本村田33H变型机	



导丝辊



化纤圈



毛纺胶圈



气泡罗拉



毛纺胶辊

毛纺胶辊 Rubber Cot for Wool Spinning

型号 Type	色别 color	硬度 Hardness	适纺品种及主要特点 Suitable Spinning Varieties And Main Features
ZHMC-6503	紫色 purple	65 ± 2	毛、毛涤混纺、粗纺、精纺羊绒高支纱，具有耐油、耐磨、弹性好、握持力优、使用寿命长等优良品质，成纱质量优。 Wool, wool/ polyester blending, woolen spinning, worsted cashmere high-count yarn, featured in anti-oil, wear-resistance, good elasticity, large holding capacity, long service life, good spinning quality and other characteristics
ZHMC-6803	桔黄色 saffron	68 ± 2	
ZHMC-7203	粉红色 pink	72 ± 2	
ZHC-7503	草灰色 straw gray	75 ± 2	
ZHC-8003	绿 green	80 ± 3	
ZHC-8403	棕色 brown	84 ± 3	
ZHC-8703	蓝色 blue	87 ± 3	

毛纺胶圈 Rubber Apron for Wool Spinning

型号 Type	色别 color	适纺品种 Suitable Spinning Varieties	主要特点 Main Features
ZHA-H215	外层: 灰色 内层: 粉红色 Outer layer: gray Inner layer: pink	毛涤、粗纺、精纺高支纱 Wool/ polyester, woolen spinning, worsted high-count yarn	具有耐油、耐磨、寿命长特性，成纱质量好，尤其对高温、高湿环境适应性强 Featured in anti-oil, wear-resistance, long service life, good spinning quality, excellent adaptability to high temperature and most humidity 耐油耐磨、使用寿命长 Anti-oil, wear-resistance, long service life
ZHA-H211 ZHA-H211D68	外层: 灰色 内层: 深灰色 Outer layer: gray Inner layer: dark gray		
ZHA902	外层: 淡果绿 内层: 黄色 Outer layer: light apple green Inner layer: yellow		

搓毛皮板 Rubber Plate Series



以高分子材料改性橡胶精制而成的新型精梳胶板，适用于化纤、毛纺、混纺等使用
New kind of combing apparatus made form modified high polymer. Suitable for wool spinning and wool/chemical fiber spinning.

精梳胶板 LXP Rubber Plate for combing

无声胶板 Silent Rubber Plate

绢纺胶板 Rubber Plate for Silk spinning

磨光扎线胶板 Rubber Plate for Grinding and Tie-up

高速胶板 High speed Rubber Plate

细文胶板 LXP Fine-grain Rubber Plate

272胶板 LXP 272 Rubber Plate

内齿槽胶板 Rubber Plate with Tooth inside

薄型板 LXP Thin Rubber Plate



并条、精梳/涂料 Drawing, Combing / Coating

并条/精梳 Drawing / Combing

并条胶辊：结构有单层、双层、铝衬套及铁芯包胶，其中以包胶为最佳，硬度有 84°、80° 适纺纯棉、涤棉、混纺化纤条。建议表面处理方式，涂料宜笔涂两遍，一遍 1:3-4 第二遍在 1:1-2。

主要特点：适应并条在高速高压状态下运转平稳弹性变形回复快，成条质量优。

Drawing rubber cot: structured in single-deck, double-deck, aluminum bushing and rubber-coated iron-core in which rubber-coated structure is the best. Hardness range: 84°, 80°. Suitable for pure cotton, polyester fibre and blending chemical-fibre tape. Recommended surface treatment: twice coating with pen, first coating in 1:3-4, second coating in 1:1-2


Main characteristics: Applicable for stable operation and swift elastic resilience of drawing on high-speed and high-pressure status, good tape quality

精梳胶辊：结构有双层、铝衬套及铁芯包胶为最佳，其中以包胶为最佳，硬度有 75°、71° 适纺纯棉、涤棉。建议表面处理方式，涂料、光照及免处理 65°、68°、72°

主要特点：高速往复运动中，热变形小，弹性恢复快，表面产生的静电量少，温湿度适应范围宽，抗绕性优，建议选用免处理胶辊尤佳。

Combing rubber cot: structured in double-deck, aluminum bushing and rubber-coated iron-core in which rubber-coated structure is the best. Hardness range: 75°, 71°. Suitable for pure cotton and polyester fibre. Recommended surface treatment: coating, light and non-treatment 65°, 68°, 72°

Main characteristics: small thermal deformation and swift elastic resilience during high-speed reciprocating motion, little static volume on the surface, wide adaptability range for temperature and humidity, good flexing-resistance. Recommend you to select nontreatment rubber cot.









理化测试及设备/门类齐全、科技创新

Physical&chemical testing and equipments / Complete range and innovative technology

理化测试及设备 Physical&chemical testing and equipments

本厂注重新科技、新材料的研究开发和应用，科研人员工作严谨、务实。理化测试设备先进、齐全，为产品质量的控制及新产品开发提供坚强后盾。

Our factory focuses on research, development and application in respect of new materials and new technology. Our sarch staff works in careful and practical manner. And we are equipped with complete and advanced physical& chemical testing equipments, which provide the hard foundation to control product quality and develop new products.



门类齐全、科技创新 Complete range and innovative technology

